

Report for *Eriogonum nortonii*

TAXON DETAILS

Classification

| | |
|----------------------|----------------------------------|
| Scientific Name | <i>Eriogonum nortonii</i> Greene |
| Common Name | Pinnacles buckwheat |
| Family | Polygonaceae |
| Element Code | PDPGN08470 |
| USDA Plants Symbol | <u>ERNO2</u> |
| Synonyms/Other Names | |

Conservation Status

| | |
|----------------------------|------------|
| California Rare Plant Rank | 1B.3 |
| Global Rank | G2 |
| State Rank | S2 |
| CESA | None |
| FESA | None |
| Other Status | BLM_S |
| CRPR Changes | |
| Date Added | 1974-01-01 |
| Last Update | 2021-12-09 |

Ecology and Life History

| | |
|----------------------|--|
| Lifeform | annual herb |
| Blooming Period | (Apr)Aug(Sep)May-Jun |
| Elevation m (ft) | 300-975 (985-3200) |
| General Habitats | Chaparral, Valley and foothill grassland |
| Microhabitat Details | often on recent burns |
| Microhabitat | Burned areas (often), Sandy |

Threat List Data from the CNDDDB

| | | |
|--------------------------------|------------------|--------------------|
| Threat List Total: | | 10 |
| | Total EOs | Percent EOs |
| EOs with Threats Listed | 14 | 39% |
| Threat List: | | |
| Road/trail construction/maint. | 6 | 16% |
| Development | 2 | 5% |
| Foot traffic/trampling | 2 | 5% |
| Grazing | 2 | 5% |
| Improper burning regime | 1 | 2% |
| Mining | 1 | 2% |
| Non-native plant impacts | 1 | 2% |
| ORV activity | 1 | 2% |
| Recreational use (non-ORV) | 1 | 2% |
| Wood cutting or brush clearing | 1 | 2% |

Element Occurrence Data from the CNDDDB

| | |
|-----------------------------------|----|
| Total Element Occurrences: | 36 |
| Element Occurrence Ranks: | |
| Excellent (A) | 2 |
| Good (B) | 5 |
| Fair (C) | 0 |
| Poor (D) | 2 |
| None (X) | 0 |
| Unknown (U) | 27 |
| Occurrence Status | |
| Historical, > 20 years | 22 |
| Recent, < 20 years | 14 |
| Presence | |
| Presumed Extant | 36 |
| Possibly Extirpated | 0 |
| Presumed Extirpated | 0 |

Location

| | |
|----------------------------------|-----|
| California Endemic | Yes |
| Counties | |
| Monterey (MNT), San Benito (SBT) | |
| States | |
| California (CA) | |
| Quads | |

Bickmore Canyon (3612152), Chews Ridge (3612135), Chualar (3612155), Hollister (3612174), Mount Johnson (3612153), Mt. Harlan (3612164), Natividad (3612165), North Chalone Peak (3612142), Rana Creek (3612145), San Juan Bautista (3612175), Soberanes Point (3612148), Spreckels (3612156), Topo Valley (3612141)

Notes

Definitions of codes preceding a county and/or quad:

* Presumed extirpated

(*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

See *Phytologia* 66(4):376 (1989) for taxonomic treatment.

Threats

Taxonomy

Selected References

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website <https://www.rareplants.cnps.org> [accessed 29 April 2024].