

Report for Packera layneae

TAXON DETAILS Classification

| Scientific Name | <i>Packera layneae</i> (Greene) W.A. Weber & A. Love |
|----------------------|--|
| Common Name | Layne's ragwort |
| Family | Asteraceae |
| Element Code | PDAST8H1V0 |
| USDA Plants Symbol | PALA41 |
| Synonyms/Other Names | Senecio layneae Greene |

Rare Plant Inventory

rareplants.cnps.org

Conservation Status

| California Rare Plant Rank | 1B.2 |
|----------------------------|----------------------------------|
| Global Rank | G2 |
| State Rank | S2 |
| CESA | CR (11/01/79) |
| FESA | 10/18/96 (10/18/96) |
| Other Status | SB_CalBG/RSABG; SB_UCBG; SB_UCSC |
| CRPR Changes | |
| Date Added | 1974-01-01 |
| Last Update | 2022-06-08 |

Ecology and Life History

| Lifeform | perennial herb |
|----------------------|---|
| Blooming Period | Apr-Aug |
| Elevation m (ft) | 200-1085 (655-3560) |
| General Habitats | Chaparral, Cismontane woodland |
| Microhabitat Details | |
| Microhabitat | Gabbroic (sometimes), Rocky, Serpentine (sometimes) |

Threat List Data from the CNDDB

| Threat List Total: | | 18 |
|--------------------------------|-----------|-------------|
| | Total EOs | Percent EOs |
| EOs with Threats Listed | 32 | 67% |
| Threat List: | | |
| Development | 16 | 33% |
| Road/trail construction/maint. | 14 | 29% |
| ORV activity | 6 | 12% |
| Other | 6 | 12% |
| Mining | 4 | 8% |
| Recreational use (non-ORV) | 4 | 8% |
| Erosion/runoff | 4 | 8% |
| Grazing | 3 | 6% |
| Vandalism/dumping/litter | 3 | 6% |
| Non-native plant impacts | 3 | 6% |
| Logging | 2 | 4% |
| Biocides | 2 | 4% |
| Dam/Inundation | 1 | 2% |
| Disking | 1 | 2% |
| Agriculture | 1 | 2% |
| Landfill | 1 | 2% |
| Pollution | 1 | 2% |
| Wood cutting or brush clearing | 1 | 2% |

Element Occurrence Data from the CNDDB

| Total Element Occurrences: | 48 |
|----------------------------|----|
| Element Occurrence Ranks: | |
| Excellent (A) | 2 |
| Good (B) | 19 |
| Fair (C) | 6 |
| Poor (D) | 4 |
| None (X) | 2 |
| Unknown (U) | 15 |
| Occurrence Status | |
| Historical, > 20 years | 24 |
| Recent, < 20 years | 24 |
| Presence | |
| Presumed Extant | 46 |
| Possibly Extirpated | 2 |
| Presumed Extirpated | 0 |

Location

| California Endemia |
|------------------------|
| California Endemic Yes |

Counties

States

California (CA)

Quads

Chinese Camp (3712074), Clarksville (3812161), Coloma (3812078), Dutch Flat (3912027), Foresthill (3912017), Garden Valley (3812077), Georgetown (3812087), Moccasin (3712073), Pilot Hill (3812171), Placerville (3812067), Rackerby (3912143), Shingle Springs (3812068)

Notes

Definitions of codes preceding a county and/or quad:

* Presumed extirpated

(*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

Threatened by urbanization, development, clearing, grazing, road construction, vehicles, non-native plants, and fire suppression. See *Senecio layneae* in *TJM* (1993). See *Bulletin of the Torrey Botanical Club* 10:87 (1883) for original description. See *Phytologia* 49(1): 44-50 (1981) for revised nomenclature.

Threats

Taxononmy

Selected References

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website https://www.rareplants.cnps.org [accessed 30 April 2024].